



37-9080 - (6606-FG)

Female JIC Swivel Tee



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

[Tech Data Sheet:](#)

37-9080 - (6606-FG)

DESCRIPTION:


FEMALE JIC SWIVEL TEE

UK PART NUMBER:

37-9080

US PART NUMBER:

6606-FG




Item	TUBE O.D.	A1 SAE 37 Deg	A2 SAE 37 Deg	A3 SAE 37 Deg	A1 DRILL	A2 DRILL	A3 DRILL	M LGTH	M6 LGTH	C HEX	Y FLATS
37-9080-04-04-04	1/4	7/16-20	7/16-20	7/16-20	0.172	0.172	0.172	0.65	1.00	0.563	0.438
37-9080-06-06-06	3/8	9/16-18	9/16-18	9/16-18	0.297	0.297	0.297	0.870	1.250	0.688	0.562
37-9080-08-08-08	1/2	3/4-16	3/4-16	3/4-16	0.391	0.391	0.391	0.950	1.380	0.875	0.750
37-9080-10-10-10	5/8	7/8-14	7/8-14	7/8-14	0.484	0.484	0.484	1.120	1.620	1.000	0.875
37-9080-12-12-12	3/4	1-1/16-12	1-1/16-12	1-1/16-12	0.609	0.609	0.609	1.180	1.750	1.250	1.062
37-9080-16-16-16	1	1-5/16-12	1-5/16-12	1-5/16-12	0.844	0.844	0.844	1.40	2.00	1.500	1.312



37-7030 - (2503-FG)

NPT Male x JIC Male 45 Deg Forged Compact Elbow 37 Deg
Cone



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71418

37-7030 - (2503-FG)

DESCRIPTION:



NPT MALE X JIC MALE 45 DEG FORGED
COMPACT ELBOW 37 DEG CONE

UK PART NUMBER:

37-7030

US PART NUMBER:

2503-FG



Item	TUBE O.D.	B1 SAE 37 Deg	A2 NPTF	B1 DRILL	A2 DRILL	M LGTH	L LGTH	Y FLATS	Material
37-7030-02-02	1/8	5/16-24	1/8-27	0.062	0.188	0.690	0.520	0.438	STEEL
37-7030-03-02	3/16	3/8-24	1/8-27	0.125	0.188	0.690	0.520	0.438	STEEL
37-7030-04-02	1/4	7/16-20	1/8-27	0.172	0.188	0.720	0.640	0.438	STEEL
37-7030-04-04	1/4	7/16-20	1/4-18	0.172	0.281	0.82	0.86	0.562	STEEL
37-7030-04-06	1/4	7/16-20	3/8-18	0.172	0.406	0.850	0.950	0.750	STEEL
37-7030-04-08	1/4	7/16-20	1/2-14	0.172	0.531	0.870	1.170	0.875	STEEL
37-7030-05-02	5/16	1/2-20	1/8-27	0.234	0.188	0.77	0.64	0.562	STEEL
37-7030-05-04	5/16	1/2-20	1/4-18	0.234	0.281	0.820	0.860	0.562	STEEL
37-7030-05-06	5/16	1/2-20	3/8-18	0.234	0.406	0.85	0.95	0.750	STEEL
37-7030-06-02	3/8	9/16-18	1/8-27	0.297	0.188	0.830	0.670	0.562	STEEL
37-7030-06-04	3/8	9/16-18	1/4-18	0.297	0.281	0.83	0.86	0.562	STEEL
37-7030-06-06	3/8	9/16-18	3/8-18	0.297	0.406	0.870	0.950	0.750	STEEL
37-7030-06-08	3/8	9/16-18	1/2-14	0.297	0.531	0.88	1.17	0.875	STEEL
37-7030-06-12	3/8	9/16-18	3/4-14	0.297	0.719	0.930	1.200	1.062	STEEL
37-7030-08-04	1/2	3/4-16	1/4-18	0.391	0.281	0.98	0.95	0.750	STEEL
37-7030-08-06	1/2	3/4-16	3/8-18	0.391	0.406	0.98	0.95	0.750	STEEL
37-7030-08-08	1/2	3/4-16	1/2-14	0.391	0.531	0.99	1.17	0.875	STEEL
37-7030-08-12	1/2	3/4-16	3/4-14	0.391	0.719	1.04	1.20	1.062	STEEL
37-7030-10-06	5/8	7/8-14	3/8-18	0.484	0.406	1.11	0.98	0.875	STEEL
37-7030-10-08	5/8	7/8-14	1/2-14	0.484	0.531	1.11	1.17	0.875	STEEL
37-7030-10-12	5/8	7/8-14	3/4-14	0.484	0.719	1.16	1.20	1.062	STEEL
37-7030-12-08	3/4	1-1/16-12	1/2-14	0.609	0.531	1.28	1.20	1.062	STEEL
37-7030-12-12	3/4	1-1/16-12	3/4-14	0.609	0.719	1.28	1.20	1.062	STEEL
37-7030-12-16	3/4	1-1/16-12	1-11/2	0.609	0.938	1.42	1.48	1.312	STEEL
37-7030-14-12	7/8	1-3/16-12	3/4-14	0.719	0.719	1.45	1.30	1.312	STEEL
37-7030-16-08	1	1-5/16-12	1/2-14	0.844	0.531	1.470	1.290	1.312	STEEL
37-7030-16-12	1	1-5/16-12	3/4-14	0.844	0.719	1.47	1.29	1.312	STEEL
37-7030-16-16	1	1-5/16-12	1-11/2	0.844	0.938	1.47	1.48	1.312	STEEL
37-7030-16-20	1	1-5/16-12	1-1/4-11-1/2	0.844	1.250	1.540	1.670	1.625	STEEL
37-7030-20-16	1 1/4	1-5/8-12	1-11/2	1.078	0.938	1.59	1.64	1.625	STEEL
37-7030-20-20	1 1/4	1-5/8-12	1-1/4-11-1/2	1.078	1.250	1.59	1.67	1.625	STEEL
37-7030-20-24	1 1/4	1-5/8-12	1-1/2-11-1/2	1.078	1.500	1.65	1.77	1.875	STEEL
37-7030-24-20	1 1/2	1-7/8-12	1-1/4-11-1/2	1.312	1.250	1.78	1.74	1.875	STEEL
37-7030-24-24	1 1/2	1-7/8-12	1-1/2-11-1/2	1.312	1.500	1.78	1.77	1.875	STEEL
37-7030-32-32	2	2-1/2-12	2-11-1/2	1.781	1.938	2.22	2.11	2.500	STEEL